

ISSUE 6

# SMACK IN THE EYE

Still  
only  
£1

BACK BY  
POPULAR  
DEMAND

THE COMIC WITH A DIFFERENCE!

Featuring

'HONEST ARCHIE'

'NO PROBLEM'  
'DRUGS +  
PREGNANCY'

'PEANUT  
PETE' +  
THE DON'T  
CARE  
BEARS

'FRUITY  
FREDDIE'  
IN  
'CARRY ON  
SAFERSEX'

'TOUGH  
SHIT  
THOMAS'  
'IN THE  
SHIT AGAIN'

GRANDPA  
'SMACKHEAD'  
JONES  
AND HIS DAD...

AND MANY MORE.....

WARNING THIS COMIC IS RUDE



# Letters

PAGED

Send us your letters,  
comments & abuse  
to S.I.T.E. (*smack in  
the eye-get it*)  
PO Box 32, Prestwich  
Manchester M25 7TX

READERS

Dear Site

I had arranged to meet my mate  
in the park, but he had taken so much  
**ACID** that he had grown a tail and  
was covered in hair. He couldn't even  
talk to me he just made a funny sort of  
barking noise and then walked off on all  
four legs. I saw him again about five  
minutes later, but he was back to looking  
like himself. The funny thing was he didn't  
remember any of it. He wants to know what  
happened to him and could it happen  
again.

S.I.T.E. REPLY

This four legged hairy thing  
that barked - do you think  
there is a chance it might  
have been a dog?

Dear SITE

My boyfriend and me are  
both drug users and we practice  
safer sex. Recently I've found  
that after we fuck I get sore,  
and have a bit of a rash  
inside my vagina. I think I must  
be allergic to the rubber. What  
can I do about it?

S.I.T.E. REPLY

It could be that you are  
allergic to the lubricant  
on the condoms, try changing  
to hyper allergic condoms,  
they have less lubricant.  
If it doesn't clear up go  
to your G.P. or a G.U. Clinic  
as you might have picked  
up some sort of infection.

Dear S.I.T.E.

My mate says I should use sterile  
water to inject my drugs with, but I think  
he's talking out of his arse. After all tap  
water is clean! I drink the stuff and it  
does me no harm.


S.I.T.E. REPLY

Tap water contains millions  
of micro organisms that your  
stomach has no problem (usually)  
in digesting. However your  
veins are not as well equipped  
to fight the little bastards,  
after all you can eat chicken  
curry but you wouldn't inject  
it into your arm.  
So tap water mixed with drugs  
and injected can lead to  
infection, it's better to  
get sterile water from a  
chemist or needle exchange.  
(see back page)

THE S.I.T.E.

DRUG MAZE!

TOM  
STARTS  
HERE






DRUGS

CAN THOMAS  
FIND  
THE DRUGS?

SOLUTION











UNFORTUNATELY THE BODAVIAN TRANSLATION WAS BY CHANCE AN ACCUSATION OF ACTS OF UNSPEAKABLE PERVERSION BETWEEN THE PRESIDENT'S MOTHER-IN-LAW AND A GOAT!



THE PRESIDENT WAS RENOWN FOR HAVING NO SENSE OF HUMOUR WHATSOEVER...



FULL SCALE NUCLEAR WAR ENSUES, EXTINGUISHING ALL LIFE ON EARTH...






# NEEDLE AND SYRINGE

## Safe Disposal

If 2ml or 5 ml (not 1 ml)




AFTER USING

PUT NEEDLE IN BARREL LIKE SO



1 2

DISMANTLE EVERYTHING



PUSH PLUNGER INTO BARREL


3 4



THIS IS NOW SAFE TO HANDLE



IF YOU HAVE 1ml DON'T TRY THIS AS NEEDLE CAN PIERCE THE BARREL.

Instead put them in a coke can or tobacco tin or better still go to a needle exchange scheme.





NEEDLE EXCHANGES WILL PROVIDE YOU WITH SHARPS BOXES & CLIPPERS FOR REMOVING NEEDLES FROM INSULIN SYRINGES (See back page)











# WOULD YOU BUY YOUR WORKS FROM HONEST ARCHIE?

©S.I.T.E. 1991.

## BARRELS

THE  $\frac{1}{2}$  ML AND 1 ML INSULIN SYRINGES HAVE FINE NEEDLES ATTACHED, AND ARE IDEAL FOR FINDING SMALL VEINS AND FAR LESS PAINFUL TO USE. IF BIGGER BARRELS ARE USED IT'S BEST NOT TO INJECT MORE THAN  $\frac{1}{2}$  ML, 50 UNITS ON AN INSULIN SYRINGE. IF YOUR HIT IS MORE THAN  $\frac{1}{2}$  ML THEN INJECT  $\frac{1}{2}$  ML DOSES INTO DIFFERENT SITES. BARRELS BIGGER THAN 2 ML ARE SOMETIMES AVAILABLE, BUT ADVICE SHOULD BE GIVEN IF USED.

## NEEDLES

IN GENERAL SMALLER NEEDLES ARE BETTER TO USE AS THEY DO LESS DAMAGE TO THE VEINS, THOUGH IF YOU INJECT INTO THE MUSCLE BLUE OR GREEN SHOULD BE USED AS THE SMALLER ONES CAN SNAP OFF. THE LARGER NEEDLES ARE GENERALLY USED FOR THE DEEPER VEINS (IE. THE GROIN) OR IF CRUSHED TABLETS ARE INJECTED.

## SWABS

A FRESH SWAB SHOULD BE USED TO CLEAN THE SKIN AROUND THE INJECTION SITE BEFORE EVERY INJECTION. THIS STOPS INFECTION GETTING INTO THE BLOOD STREAM.

## NEEDLE SIZES

GREY 0.4 x 12 mm  
ORANGE 0.5 x 16 mm  
BLUE 0.6 x 25 mm  
GREEN 0.8 x 40 mm  
YELLOW 0.9 x 25 mm  
YELLOW 0.9 x 40 mm

## STERILE WATER

FOR INJECTION, HELPS PREVENT INFECTION FROM MIXING DRUGS WITH TAP WATER. AVAILABLE IN 2 ML 5 ML 10 ML SIZES - SHOULD NOT BE SHARED.

## TOURNIQUET

ELASTICATED TOURNIQUET CAN BE USED TO BRING UP VEINS ON THE ARMS.


CAN BE DANGEROUS IF USED ON YOUR OWN AS IF YOU PASS OUT, THE BLOOD FLOW TO YOUR ARM WILL BE CUT OFF.

## NEEDLE CLIPPERS

FOR THE REMOVAL OF NEEDLES FROM INSULIN SYRINGES.

## SHARPS BOX

FOR SHARPS  
USUALLY BRINGS  
SHOULD BE R





# CONDOMS

**STRONG**

**TEAT ENDED**  
MOST COMMON TYPE  
WITH TEAT TO ALLOW FOR  
SPERM.

**EXTRA STRONG** CONDOMS FOR  
ADDED PROTECTION PARTICULARLY  
DURING ANAL INTERCOURSE OR IF INTERCOURSE  
WAS PROLONGED AS A RESULT OF DRUGS

**PLAIN ENDED**  
PREFERRED BY  
SOME, YOU PINCH  
 $\frac{1}{2}$  INCH AT THE END  
TO ALLOW FOR SPERM

**EXTRA FINE**  
FINE SKINNED  
CONDOMS FOR EXTRA  
SENSITIVITY DURING INTERCOURSE

**RIBBED**  
SOME PEOPLE FIND  
HEIGHTENED PLEASURE  
FROM RIBBED CONDOMS

**COLOURED**  
DIFFERENT COLOURED CONDOMS  
CAN BRING EXTRA FUN INTO LOVE MAKING

**NON LUBRICATED/FLAVOURED**  
CONDOMS DESIGNED FOR ORAL SEX  
OR FOR THOSE ALLERGIC TO LUBRICANTS

**HYPER ALLERGENIC**  
SOME PEOPLE ARE ALLERGIC TO THE LUBRICANT  
ON CONDOMS SO THESE CONTAIN A LOWER  
AMOUNT OF SUBSTANCES THAT CAUSE AN  
ALLERGIC REACTION.

**CONTRACEPTIVE CREAMS + GELS**  
FOR USE WITH CONDOM OR DIAPHRAGM, PROVIDES  
LUBRICATION AND EXTRA CONTRACEPTIVE PROTECTION  
(NOT TO BE USED AS ONLY CONTRACEPTIVE)  
NON CONTRACEPTIVE GEL LIKE K-Y JELLY ALSO  
AVAILABLE. VAGINAL APPLICATOR FOR INSERTION  
OF CREAMS + GELS.

**VAGINAL PESSARIES**  
HAVE THE SAME USE AS CREAMS AND GELS.

**BUT WHY BUY FROM  
HONEST ARCHIE?** PLC






THEY ARE ALL AVAILABLE  
**FREE** FROM YOUR NEEDLE  
EXCHANGE (SEE BACK PAGE)

**DRUGS BOX**  
SAFE DISPOSAL OF WORKS  
LIGHT YELLOW. (RANGE OF SIZES)  
RETURNED WHEN  $\frac{2}{3}$  FULL.




















# S.I.T.E. ANSWERS YOUR QUESTIONS ABOUT DRUGS & PREGNANCY



Women use drugs and women have babies. So you don't have to be a genius to work out that some women drug users will have to deal with the problems that face pregnant drug users. The first and biggest problem is that of **PREJUDICE**. If there is one thing that drug users know about (besides drugs of course!) its blind prejudice. How many times have you been lectured by some alcohol soaked, tobacco addict about how evil drugs are and how those who use them are either bad, mad or (at best!) sad. It's hard holding on to your self respect (as a drug user) at the best of times and it is a lot harder when you're pregnant as well.

Here we'll try to provide some answers to the problems faced by pregnant drug users.

- Q. "Surely I'll have to have an abortion because the baby will be well messed up because of my drug use?"
- A. Any decision about having the baby or an abortion is **your decision!** Your basic right to choose is in no way altered by your drug use any more than a mother who has smoked or drunk alcohol during pregnancy. If you decide to have the baby there are things you should do to make sure you and your baby are as healthy as possible.

\* GO TO THE ANTE-NATAL CLINIC AS SOON AS POSSIBLE AND, IF POSSIBLE, TAKE SOMEONE WITH YOU FOR SUPPORT.

- Q. "But if I go to a hospital or a doctor the social workers will find out and take the baby away at birth. I'd be better off staying away from all of them until I go into labour. Then I'll just turn up at the hospital, have the baby, take it home and detox it myself — that's the best way isn't it?"

- A. Calm down! Let's take this bit by bit!

First of all most social services departments have agreed with local drugs agencies that they will not take a baby into care just because the mother is a drug user. So the first thing to do here is to get yourself some support from someone who knows what they are talking about ...

\*CONTACT YOUR LOCAL DRUGS AGENCY.

Tell them your problem ("I'm using drugs, I'm pregnant, I want to keep the baby how can you help me?"). You can ask this question without giving your name or by giving a false name.

If you just turn up at the hospital in labour you could give the impression that you don't care about the baby or yourself. You will confirm all the prejudices that people have about drug users and your chances of getting the best for you and the baby will be reduced. Be serious about this! Contact your local drugs agency and ask them to support you through this difficult time. You can show that you are a responsible, caring mother to be. So ...

\* GET YOUR ACT TOGETHER ACT AS EARLY AS POSSIBLE.

Forget any ideas about detoxing the baby yourself! Never give drugs to a baby. You could kill it! If your baby does need to be detoxed it must be done carefully under medical supervision.

There is plenty more that could be said but we are no substitute for a proper drugs worker. So come on — contact that drugs agency as soon as possible — together with them you will be able to maintain your health and have a healthy baby.






Remember, if you do plan to get pregnant it's worth finding out first what effects **your** drug use might have on the baby.

\*TAKE CONTROL — YOU KNOW IT MAKES SENSE!

Contact your local drugs agency (see back page).











IT'S A RISKY DO  
INJECTING SOMEBODY  
ELSE. IF OWT GOES  
WRONG, WE COULD BE  
IN THE SHIT!



NOW GLENCH YOUR **FIST**,  
I'LL **RUB** AND **SLAP**  
THE **VEINS**. IF THAT  
DON'T BRING UP A  
VEIN I'LL USE A  
**TOURNIQUET**.



THERE'S NONT ON HIS **ARMS**  
I'LL TRY THE **BACK** OF HIS  
**LEGS**.



THESE **VEINS** FLOW **SLOWLY** SO  
YOU MUST INJECT **SLOWLY** AND  
WATCH FOR THE **ARTERY**.  
NEVER INJECT INTO AN **ARTERY**



WE WILL TRY BRINGING UP A VEIN  
BY WRAPING IT IN A **TOWEL** SOAKED  
WITH **WARM WATER**.

CHUFFING  
BOLLOCKS




IF THERE'S **NONT** COMES UP ON HIS **LEGS**  
WE WILL TRY HIS **FEET**, THOUGH THESE **VEINS** ARE  
**FRAGILE** AND IT'LL HURT, WE'LL HAVE TO BE  
**CAREFUL!**



WHAT ABOUT GOING INTO HIS  
**GROIN** OR **NECK**?

NO LAD! IT'S TOO **RISKY**  
HE COULD **BLEED** TO **DEATH** OR  
LOOSE A **LEG**. HE'S PROBABLY  
FUCKED THEM UP  
**ANYWAY**




SILLY OLD BASTARD HAS INJECTED  
SO MANY **CRUSHED TABLETS** AND  
CRAP IN AN **UNHYGENIC** WAY HE'S **VEINS**  
HAVE JUST HAD **ENOUGH!**



WE COULD TRY GOING INTO THE  
**MUSCLE** ON HIS **THIGH**?

THERE AIN'T MUCH **MUSCLE**  
LEFT, AND WE WOULD NEED  
A **GREEN** OR **BLUE** NEEDLE




WE COULD **SKIN POP**, THAT'S **SAFER**  
THAN GOING INTO **DEEP VEINS**, BUT HE  
COULD STILL GET **ABSCESS** AND AT HIS  
AGE IT WOULD **FINISH HIM OFF**.




LISTEN DAD, THERE'S **NO WAY** YOU  
CAN INJECT, IT'S TIME YOU **RETIRED**

WHAT ABOUT  
ME **BIRTHDAY**  
YOU TIGHT BASTARD!



NEVER MIND DAD, I'VE MADE YOU ONE  
OF MY **SPECIALS**, THE 'STAR SHIP  
ENTERPRISE' - **HAPPY BIRTHDAY DAD!**



THE END



for advice and information  
about being HIV positive

for advice and information  
about **AIDS**

# SYRINGES AND CONDOMS AVAILABLE **FREE**

---

**National AIDS helpline**

---

0800 567123  
24 hours

This publication was produced by the 'LIFELINE PROJECT LIMITED'

